BYINTEK

No.1

World's No.1
Unplugged Projector

10+

Years
Leading Brand

100+

Countries
Network

BYINTEK

Mango 1

Display Type: LCD
Resolution: 1280 x 720
Brightness: 150 ANSI
Focus: Auto Focus
Speaker: 4W
OS: Android 14.0

Android 14.0

Mango 1 Pro

Display Type: LCD
Resolution: 1280 x 720
Brightness: 150 ANSI
Focus: Auto Focus
Speaker: 4W
OS: Android 14.0
Battery Life: 1.5 hrs

Android 14.0 4000mAh

Mango 2 Max

Display Type: LCD
Resolution: 1920 x 1080
Brightness: 250 ANSI
Focus: Auto Focus
Speaker: 3W x 2
OS: Google TV 14.0

Google TV 11.0OS

23

BYINTEK

Love 1

Display Type: LCD
Resolution: 1920 × 1080
Brightness: 150 ANSI
Focus: Auto Focus
Speaker: 5W
OS: Android 9.0

Android 9.0 | Fully Sealed Optical Engine

Love 2

Display Type: LCD
Resolution: 1920 × 1080
Brightness: 350 ANSI
Focus: Auto Focus
Speaker: 5W × 2
OS: Android 9.0

Android 9.0 | Fully Sealed Optical Engine | Screen Fi | Obstacle Avoidance

Love 5

Display Type: LCD
Resolution: 1920 × 1080
Brightness: 750 ANSI
Focus: Auto Focus
Speaker: 12W
OS: Android 11.0

Android 11.0 | Fully Sealed Optical Engine | Screen Fi | Obstacle Avoidance

Love 5 Ultra

Display Type: LCD
Resolution: 1920 × 1080
Brightness: 800 ANSI
Focus: Auto Focus
Speaker: 12W
OS: VIDAA TV OS

VIDAA TV OS | Dolby Decoding | Auto Screen Fit | Obstacle Avoidance


Forces and Motion
Newton's Second Law
F = ma
Force = mass × acceleration
m
F
A net force causes acceleration
in the direction of the force.
Free-body diagram:
N
F
mg
Larger force
→ larger acceleration
Physics
builds a
brighter
tomorrow
Physics
Mechanics
Waves
Electricity
Modern Physics

BYINTEK

Book 1

Display Type: DLP
Resolution: 960 x 540
Brightness: 130 ANSI
Focus: Auto Focus
Speaker: 5W x 2
Battery Life: 2.5 ~ 3.5 hrs
3D: DLP-Link 3D
OS: Android 9.0

Android 9.0 10000 mAh

Optional :**Magic 3 Max** Google TV 14.0OS

Book 4

Display Type: DLP
Resolution: 1920 x 1080
Brightness: 850 ANSI
Focus: Auto Focus
Speaker: 10W x 2
3D: DLP-Link 3D
OS: Android 11.0 OS

4K Max Support Android 11.0 OS Laser

Optional :Magic 2 Max
Google TV 14.0OS

BYINTEK

Optional :**Magic 1 Max** Google TV 14.0OS

Magic 1

Display Type: DLP
Resolution: 1920 x 1080
Brightness: 200 ANSI
Focus: Electric Focus
Speaker: 5W*2
Battery Life: 2 ~ 3 hrs
3D: DLP-Link 3D
OS:Android 9.0

Android 9.0 15000mAh

Optional :**Magic 2 Max** Google TV 14.0OS

Magic 2

Display Type: DLP
Resolution: 1920 x 1080
Brightness: 350 ANSI
Focus: Auto Focus
Speaker: 10W x 2
Battery Life: 1.5 ~ 3 hrs
OS: Android 11.0

4K Max Support Android 11.0 20800mAh

Magic 4 MAX

Display Type: DLP
Resolution: 1920 x 1080
Brightness: 1100 ANSI
Focus: Auto Focus
Speaker: 20W x 2
3D: DLP-Link 3D
OS: Google TV 11.0

4K Max Support Google TV 11.0OS

CoCo 1 Max

Display Type: DLP
Resolution: 1920 x 1080
Brightness: 600 ANSI
Focus: Auto Focus
Speaker: 20W x 2
3D: DLP-Link 3D
Throw Ratio: 0.18:1
OS: Google TV 11.0

4K Max Support Google TV 11.0OS Laser

Business Data Analyst
600
500
400
300
200
100
0
Jan
Feb
Mar
Apr
May
Business
NEXT-GENERATION
BUSINESS SOLUTIONS

BYINTEK

Note 1

Display Type: 3LCD
Light Source: UHP
Resolution: 1280 × 800
Brightness: 3300 ANSI
Throw Ratio: 0.46:1
Short Throw Projector

3300 ANSI

Note 2

Display Type: 3LCD
Light Source: Laser
Resolution: 1280 × 800
Brightness: 4500 ANSI
Throw Ratio: 0.48:1
Short Throw Projector

Laser
4500 ANSI

Note 3

Display Type: 3LCD
Light Source: Laser
Resolution: 1920 × 1200
Brightness: 4800 ANSI
Throw Ratio: 0.254:1
Ultra Short Throw Projector

Laser
4800 ANSI

Note 4

Note 4
Display Type: DLP
Light Source: Laser
Resolution: 1280 × 800
Brightness: 3500 ANSI
Throw Ratio: 0.492:1
Short Throw Projector

Laser
3500 ANSI

BYINTEK

Meet 1

Display Type: 3LCD
Light Source: UHP
Resolution: 1024 × 768
Brightness: 3300 ANSI
Throw Ratio: 1.47 - 1.77:1
Zoom: 1.2×

3300 ANSI

Meet 2

Display Type: 3LCD
Light Source: Dual UHP
Resolution: 1920 × 1200
Brightness: 5500 ANSI
Throw Ratio: 1.08 - 1.76:1
Zoom: 1.6×
Lens Shift: V: ±40%, H: ±10%

5500 ANSI

Meet 3

Display Type: 3LCD
Light Source: Laser
Resolution: 4K
Brightness: 6000 ANSI
Throw Ratio: 1.08 - 1.76:1
Zoom: 1.6×
Lens Shift: V: +55%, H: ±22%

Laser
6000 ANSI

4K
4K

Meet 4

Display Type: 3LCD
Light Source: Laser
Resolution: 1920 × 1200
Brightness: 10000 ANSI
Throw Ratio: 1.30 – 3.02
Zoom: 2.3×
Lens Shift: V: +50% / -10%
H: ±20%

Laser
10000 ANSI

BYINTEK

BASETOP WB1

Product Name: Wall bracket
Material: Aluminium Alloy
Interface: BSP 1/4 Screw
Maximum Load: 4kg
Net Weight: 0.5kg

BASETOP TB1

Product Name: Desk Tripod
Material: Aluminium Alloy
Interface: BSP 1/4 screw
Maximum Load: 3kg
Expanded Height: 130mm
Expanded Width: 225mm

BASETOP TB2

Product Name: Desk Base
Material: Aluminum alloy
Product Connector: BSP 1/4 Screw
Maximum Load: 5kg
Product Size: 200 × 200 × 120mm

BASETOP WB3

Product Name: Ceiling mount
Material: Aluminum alloy
Adjustable Height: 120-520mm
Interface: BSP 1/4 Screw
Maximum Load: 5kg

BYINTEK

BASETOP TB11

Product Name: Floor Stand
Material: Aluminum alloy
Product Connector: BSP 1/4 Screw
Adjustable Height: 250-760mm
Maximum Load: 5kg

BASETOP WB5

Product Name:
Projector ceiling mount
Telescopic: 430-650mm
Claw Diagonal: 42-380mm
Max Load: 5kg (Ceiling) / 3kg (Wall)

BASETOP TB10

Product Name:Projector gimbal base
Material: PC+ABS
Interface: 1/4" Screw
Color: Black
Product Dimensions: 8×8×2.5cm
Max Load: 1.5kg

SOUNDOG PS1

Product Name: Bluetooth speaker
Waterproof Rating: IPX6
Speaker: 30W × 1, 15W × 2
Battery Lifetime: 3~6 hrs
Product Size: 297 × 133 × 130mm

BYINTEK

3DGLASS AS100

Product Name: DLP-Link 3D Glasses
Battery: 3.7V 60mAh
Battery Lifetime: 40hr±5hr
Suitable Type: For 3D DLP Projector

POWER TM168

Product Name:
148W 40000mAH power bank
Charging voltage: 19V 3.42A-6.32A
Charging Duration: 4H
Product Size: 220 × 185 × 40mm
USB Output: 5V 3A
DC Output: 16.8V 8A
(Support DC 19V 3.42A-6.32A
projector power supply)

ADAPTER CHD002

Product Name: Type-C to HDMI cable
Maximum Resolution: 4K 30 Hz
Cable Length: 1m
Product Size: 15*5*4cm
Application: Connect PCs /
Smartphones to Projectors

CABLE HD100

Product Name: HDMI Cable
Cable Length: 1.5m
HDMI Version: 2.0
Max Supported Resolution: 4K@30Hz

BYINTEK

VOICE VC100

Product Name: Portable voice amplifier
Speaker: 1×5W
Shell Material: ABS
Connection: Bluetooth wireless
Battery Capacity: 2600mAh/80mAh

BAG CB105

Product Name: Projector storage bag
Product Size:
340(L) × 135(W) × 280(H)mm
Material: 1680D Double Oxford Fabric

BAG CB106

Product Name: Projector storage bag
Product Size:
220(L) × 220(W) × 60(H)mm
Net Weight: 180g
Material: 300D Oxford Cloth

BAG CB107

Product Name: Projector storage bag
Product Size:
310(L) × 290(W) × 175(H)mm
Net Weight: 315g
Material: 300D Oxford Cloth

BYINTEK

CAST001

Product Name:
Wireless HDMI transmitter and receiver
HDMI Version: 2.0
Max Transmission Distance: 50m
Max Resolution: 1080p@60Hz

SCREENOW SS003 F100

Product Name:
Simple ALR projector screen
Material: Polyester
Color: White
Size: 100 inch, 16:9
Anti Light Type: Coated ALR



SCREENOW SS001 F100

Product Name: Simple elastic screen
Material: Polyester
Size: 100 inch, 16:9

SCREENOW TS008 F100

Product Name: Fast-folding screen
Material: Polyester
Size: 100 inch, 16:9
Gross Weight: 3.1kg

BYINTEK

SCREENOW SS004 F100

Product Name:
Simple ALR projector screen
Material: Polyester
Color: Dark grey
Size: 100 inch, 16:9
Anti Light Type: Coated ALR
Not for short-throw, laser,
side, or ceiling projection.

SCREENOW FS002 F100

Product Name:
Fresnel ALR frame screen
Size: 100 inch, 16:9
Anti Light Type:
Fresnel ambient light rejecting
(ALR) Structure
Suitable Type:
For long-throw projectors

SCREENOW FS003 F100

Product Name:
Black grating ALR Frame screen
Anti Light Type:
Black grating structure anti light
Size:100inch 16:9
Suitable Type:
For Ultra short throw projector

SCREENOW TS004 F100

Product Name:
Black grating electric floor up screen
Anti Light Type:
Black grating structure anti light
Size:100inch 16:9
Suitable Type:
For Ultra short throw projector

BYINTEK

SCREENOW TS006 F100

Product Name: Portable floor screen
Material: White fiberglass
Size: 100 inch, 16:9



SCREENOW TS003 F100

Product Name: Mobile bracket screen
Material: White Plastic
Size: 100 inch, 16:9

SCREENOW MS001 F100

Product Name:
Manual Self-locking Screen
Material: White plastic
Size: 100 inch, 16:9

SCREENOW ES009 F100

Product Name:
Motorized projector screen
Material: White plastic
Size: 100 inch, 16:9

Mobile Education & Office

Book 1 Projector

Desktop Tripod

16GB USB Drive

Telescopic Teaching Pointer

Type-C to HDMI Adapter Cable

1.5m HDMI Cable

Portable Voice Amplifier

Type-C Multiport Hub

Projector Storage Bag



Home Entertainment Solutions

Note 1 Projector

Short Throw Wall Mount

100" Projector Screen

2.4G Wireless Presenter with Air Mouse

Telescopic T eaching Pointer

Portable Voice Amplifier

Type-C Multiport Hub

16GB USB Drive

Accessory Bag

1.5m HDMI Cable× 2 pcs

30m HDMI Cable

Wireless HDMI Transmitter and Receiver

Home Entertainment Solutions

Magic 2 Max Projector

Type-C to HDMI Adapter Cable

1.5m HDMI Cable

Type-C Multiport Hub

Projector Storage Bag

100" Long-throw Fresnel Anti Light Frame screen

Business & Conference

Meet 2 Projector

Projector Ceiling Mount

120" Motorized Projector Screen

2.4G Wireless Presenter with Air Mouse

Type-C to HDMI Adapter Cable

Type-C Multiport Hub

Wireless HDMI Transmitter and Receiver

1.5m HDMI Cable× 2 pcs

30m HDMI Cable

BYINTEK Product Guide

Series	Entry	Core	Advanced	Solution
Mango	Mango 1 	Mango 1 Pro 	Mango 2 Max 	Home Entertainment
Love	Love 1 	Love 2 	Love 5 	Home Entertainment
Book	Book 1 	Book 2 	Book 3 	Enhanced Home Entertainment Mobile Education & Office
Magic	Magic 1 Max 	Magic 2 Max 	Magic 4 Max 	Advanced Home Entertainment Enhanced Mobile Education & Office
Note	Note 1 	Note 2 	Note 3 	Professional Education & Office
Meet	Meet 1 	Meet 2 	Meet 3 	Business & Conference

CE FC RoHS UK CA

EAC PS E

LOOKING FOR DISTRIBUTORS WORLDWIDE

Partner with BYINTEK

Headquater

8th Floor,Suncity Building,Wangcheng District,
Changsha City, Hunan Province, China

Shenzhen office

East Block Jinke Industrial Park,Longhua District,
Shenzhen City

Chansha Office

Building 3, Industrial Plant,Wangcheng District ,
Changsha City